



2011 Discovery Plot
Corn Hybrid Performance Summary

Location: Isanti, Mn
 Grower: Paul & Janet Bostrom
 Planting Date: May 22, 2011
 Harvest Date: October 17, 2011

Row Width: 30 inches
 Plant Population: 30,800
 Soil Type: Sandy Loam
 Tillage: Conventional

Yield Entry

Rank	No.	Brand	Hybrid	Trait	Moisture	Test Wt	Adj Yield 15%
1	15	LG	2411	VT3	18.1	56.0	196
2	12	NK_Brand	N29T	AS3000/GT	15.0	55.0	191.2
3	17	PRODUCER'S	5004	VT3	13.8	57.0	190.6
4	1	CROPLAN_GENETICS	2924	VT3	16.1	57.0	181.9
5	11	NK_Brand	N23K	AS3000/GT	15.1	56.0	181.9
6	14	NK_Brand	N38U	AS3000/GT	18.2	55.0	179.4
7	9	Dekalb	45-51	VT3	18.6	55.0	178.3
8	16	TRELAY	1810	GENSS	18.2	56.0	177
9	7	Dekalb	43-10	GENVT2P	15.7	55.0	176.8
10	13	NK_Brand	N33R	AS3000/GT	18.1	56.0	176.4
11	3	CROPLAN_GENETICS	3390	GENVT3P	15.4	57.0	176
12	5	CROPLAN_GENETICS	3737	GENVT2P	17.4	56.0	175.8
13	6	Dekalb	42-72	VT3	15.1	56.0	175.8
14	8	Dekalb	43-27	VT3	16.5	57.0	174.3
15	4	CROPLAN_GENETICS	3337	GENVT2P	17.5	55.0	172.4
16	2	CROPLAN_GENETICS	3114	VT3	16.3	57.0	166.7
17	10	NK_Brand	N21J	AS3000/GT	15.9	57.0	146
18	18	NK_Brand	N33R	AS3000/GT	16.2	56.0	142.9
Discovery Plot Average							175.5



2011 Discovery Plot Corn Hybrid Performance Summary

Location: Ogilvie, Mn
 Grower: Robert & Todd Steffen
 Planting Date: May 15, 2011
 Harvest Date: October 26, 2011

Row Width: 30 inches
 Plant Population: 31,000
 Soil Type: Clay Loam
 Tillage: Conventional

Yield Entry		Brand	Hybrid	Trait	Moisture	Test Wt	Adj Yield 15%
Rank	No.						
1	14	Mycogen	2J337	VT3	17.4	56.1	187.1
2	8	Dekalb	43-10	GENVT2P	17.7	54.2	184
3	2	CROPLAN_GENETICS	2520	VT3	17.3	57.0	177.90
4	3	CROPLAN_GENETICS	2738	GENSS	17.9	55.5	175.90
5	7	Dekalb	42-72	VT3	17.6	55.0	175.9
6	9	NK_Brand	21J	AS3000/GT	17.9	55.8	174.8
7	13	Mycogen	2T224	GENSS	17.7	53.7	173.7
8	5	CROPLAN_GENETICS	2924	VT3	18.3	56.5	173.10
9	1	CROPLAN_GENETICS	2551	RR2	17.5	56.5	169.40
10	12	NK_Brand	33R	AS3000/GT	18.2	52.7	163.9
11	11	NK_Brand	29T	AS3000/GT	17.9	51.9	163.6
12	4	CROPLAN_GENETICS	2871	GENSS	18.3	57.1	163.10
13	6	Dekalb	35-43	VT3	18.1	55.5	159.30
14	10	NK_Brand	23K	AS3000/GT	18.1	54.3	157.8
Discovery Plot Average							171.4



2011 Discovery Plot Corn Hybrid Performance Summary

Location: Princeton, Mn
 Grower: Larry & Sharon Wilhelm
 Planting Date: May 3, 2011
 Harvest Date: October 20, 2011

Row Width: 30 inches
 Plant Population: 28,500
 Soil Type: Sandy Loam
 Tillage: Conventional

Yield Entry		Brand	Hybrid	Trait	Moisture	Test Wt	Adj Yield 15%
1	10	NK_Brand	33R	AS3000/GT	12.8	56.0	186.9
2	6	CROPLAN_GENETICS	3632	AS3000/GT	13.4	56.5	184.3
3	19	Dekalb	50-47	VT3	13.8	54.5	181.00
4	12	Dekalb	42-72	VT3	12.2	56.0	178.4
5	20	Dekalb	50-47	VT3	15.1	54.5	178.30
6	3	CROPLAN_GENETICS	3337	GENVT2P	12.1	57.0	177.8
7	9	NK_Brand	29T	AS3000/GT	12.6	55.0	177.6
8	7	NK_Brand	21J	AS3000/GT	14.3	59.0	177.3
9	15	Dekalb	48-12	GENSS	13.7	55.0	173.50
10	17	Mycogen	2D351	RR2	13.4	56.0	170.90
11	13	Dekalb	45-51	GENSS	13.1	57.0	170.1
12	11	NK_Brand	38U	AS3000/GT	14.1	56.0	165.9
13	4	CROPLAN_GENETICS	3390	GENVT3P	13.8	57.0	165.3
14	18	Mycogen	2A399	GENSS	12.9	54.5	163.60
15	5	CROPLAN_GENETICS	3424	GENSS	15.0	54.0	163.1
16	14	Dekalb	48-37	VT3	13.4	57.0	159.80
17	16	Mycogen	2T224	GENSS	12.0	55.5	151.30
18	2	CROPLAN_GENETICS	3114	VT3	13.9	58.0	150.8
19	8	NK_Brand	23K	AS3000/GT	13.5	55.0	143.8
20	1	CROPLAN_GENETICS	2924	VT3	14.6	57.0	143.5
Discovery Plot Average							168.2



2011 Discovery Plot Corn Hybrid Performance Summary

Location: Hinckley, MN.
 Grower: Nathan Nelson
 Planting Date: May 15, 2011
 Harvest Date: October 29, 2011

Row Width: 30 inches
 Plant Population: 32,000
 Soil Type: Sandy Loam
 Tillage: Minimum

Yield Entry		Brand	Hybrid	Trait	Moisture	Test Wt	Adj Yield 15%
1	3	CROPLAN_GENETICS	2538	VT3	17.7	55.5	140.20
2	9	Mycogen	2T224	GENSS	15.5	51.0	138.60
3	11	Legacy	3009	RR2	17.4	51.0	135.70
4	2	CROPLAN_GENETICS	2551	RR2	15.0	57.0	132.00
5	4	NK_Brand	N16M	AS3000/GT	16.7	56.0	128.40
6	1	CROPLAN_GENETICS	229	VT3	16.0	57.0	128.00
7	8	NK_Brand	N29T	AS3000/GT	16.7	50.0	127.40
8	5	NK_Brand	N17H	AS3000/GT	17.0	56.0	125.70
9	7	NK_Brand	N21J	AS3000/GT	17.0	53.0	124.10
10	10	Mycogen	2P174	GENSS	15.3	54.0	122.00
11	6	NK_Brand	N19G	AS3000/GT	17.0	53.0	110.80
Discovery Plot Average							128.4



2011 Discovery Plot Corn Hybrid Performance Summary

Location: Osceola, WI
 Grower: Craig, Janet, & Neil Gustafson
 Planting Date: May 8, 2011
 Harvest Date: October 17, 2011

Row Width: 30 inches
 Plant Population: 34,000
 Soil Type: Clay Loam
 Tillage: No-Till

Yield	Entry	Rank	No.	Brand	Hybrid	Trait	Moisture	Test Wt	Adj Yield 15%
		1	20	Dekalb	43-10	GENVT2P	16.1	57.0	212.5
		2	16	Renk	RK434	GENVT3P	15.4	58.0	201.6
		3	19	Dekalb	42-72	VT3	15.9	56.0	199.9
		4	26	CROPLAN_GENETICS	2924	VT3	17.3	58.0	199.9
		5	12	NK_Brand	N29T	AS3000/GT	15.0	57.0	199.8
		6	5	CROPLAN_GENETICS	3337	GENVT2P	16.3	57.0	197.2
		7	6	CROPLAN_GENETICS	3390	GENVT3P	14.7	57.0	197.2
		8	8	CROPLAN_GENETICS	3514	VT3	18.1	58.0	196.7
		9	9	CROPLAN_GENETICS	3632	AS3000/GT	17.0	54.0	196.3
		10	17	Renk	RK530	GENVT3P	17.7	57.0	194.6
		11	18	Renk	RK570	VT3	15.6	57.0	194.4
		12	13	NK_Brand	N33R	AS3000/GT	15.5	55.0	191.3
		13	3	CROPLAN_GENETICS	2924	VT3	17.2	57.0	190.3
		14	14	NK_Brand	N38U	AS3000/GT	17.2	56.0	190.0
		15	23	Legend	LR9090	AS3000/GT	15.2	55.0	187.4
		16	25	Legend	LR9195	GENVT2P	16.4	57.0	187.2
		17	10	NK_Brand	N21J	AS3000/GT	15.4	58.0	185.7
		18	2	CROPLAN_GENETICS	2871	GENSS	16.2	58.0	181.8
		19	7	CROPLAN_GENETICS	3424	GENSS	19.5	55.0	180.9
		20	1	CROPLAN_GENETICS	3390	RR2	14.8	57.0	179.2
		21	22	Legend	LR9787	AS3000/GT	16.2	56.0	178.3
		22	11	NK_Brand	N23K	AS3000/GT	16.6	56.0	177.4
		23	4	CROPLAN_GENETICS	3114	VT3	15.1	58.0	176.8
		24	21	Dekalb	45-51	GENSS	15.4	57.0	174.8
		25	24	Legend	LR9091	GENSS	16.2	57.0	172.6
		26	15	Renk	RK268	GENSS	15.3	57.0	171.5
								Discovery Plot Average	189.1



2011 Discovery Plot Corn Hybrid Performance Summary

Location: Luck, WI
 Grower: Steve Nielsen
 Planting Date: June 4, 2011
 Harvest Date: November 4, 2011

Row Width: 30 inches
 Plant Population: 33,600
 Soil Type: Loam
 Tillage: Conventional

Yield	Entry	Rank	No.	Brand	Hybrid	Trait	Moisture	Test Wt	Adj Yield 15%
		1	3	Legend	LR9984	AS3000/GT	15.2	56	133.60
		2	14	Legend	LR9090	AS3000/GT	17	56	130.80
		3	9	Legend	LR9993	VT3	17.1	57	129.90
		4	8	JSC	40J192	RR2	17.9	55	128.60
		5	6	Legend	LR9191	GENVT2P	17.4	56	127.90
		6	13	CROPLAN_GENETICS	3114	VT3	17.5	56	127.10
		7	5	Legend	LR9887	GENSS	16.7	56	124.60
		8	4	Legend	LR9787	AS3000/GT	16.4	57	124.30
		9	7	Legend	LR9293	GENSS	18	55	124.10
		10	12	Dekalb	43-27	VT3	16.7	56	121.60
		11	11	Legend	LR9195	GENVT2P	20.3	55	117.80
		12	1	Legend	LR9090	AS3000/GT	16.9	57	114.70
		13	10	Legend	LR9095	GENSS	21.9	55	109.20
		14	2	Legend	LR9083	GENVT2P	16.2	56	101.50
Discovery Plot Average									122.55



2011 Discovery Plot
Corn Hybrid Performance Summary

Location: Rush City, MN
 Grower: Dennis LeMon
 Planting Date: May 10, 2011
 Harvest Date: October 19, 2011

Row Width: 30 inches
 Plant Population: 31,000
 Soil Type: Loam
 Tillage: Minimum

Yield	Entry	Rank	No.	Brand	Hybrid	Trait	Moisture	Test Wt	Adj Yield 15%
		1	6	CROPLAN_GENETICS	3390	GENVT3P	15.2	56.0	168.6
		2	17	Dekalb	43-10	GENVT2P	16.2	53.0	161.6
		3	11	NK_Brand	N29T	AS3000/GT	14.2	51.0	161.5
		4	2	CROPLAN_GENETICS	2738	GENSS	15.8	56.0	161.4
		5	3	CROPLAN_GENETICS	2871	GENSS	15.8	56.0	160.8
		6	16	Dekalb	42-72	VT3	14.8	54.0	159.3
		7	1	CROPLAN_GENETICS	2551	RR2	15.0	57.0	158.0
		8	7	CROPLAN_GENETICS	3337	GENVT2P	15.5	55.0	156.8
		9	18	Dekalb	43-10	GENVT2P	15.2	53.0	156.8
		10	4	CROPLAN_GENETICS	2924	VT3	16.4	56.5	154.9
		11	8	CROPLAN_GENETICS	3424	GENVT3P	17.5	54.0	154.1
		12	10	NK_Brand	N23K	AS3000/GT	15.7	56.0	150.7
		13	15	Dekalb	43-27	VT3	15.6	55.0	149.9
		14	5	CROPLAN_GENETICS	3114	VT3	17.4	57.0	149.4
		15	13	Mycogen	2N337	AS3000/GT	16.2	56.0	146.3
		16	9	NK_Brand	N21J	AS3000/GT	16.4	56.5	143.4
		17	14	Dekalb	35-43	VT3	14.5	57.0	143.2
		18	12	NK_Brand	N33R	AS3000/GT	15.8	53.0	134.8
Discovery Plot Average									154.0



2011 Discovery Plot
Corn Hybrid Performance Summary

Location: New Richmond, WI
 Grower: Roger, Bjorn, & Brett Neumann
 Planting Date: May 4, 2011
 Harvest Date: October 23, 2011

Row Width: 30 inches
 Plant Population:
 Soil Type: Loam
 Tillage: Conventional

Yield Entry		Brand	Hybrid	Trait	Moisture	Test Wt	Adj Yield 15%
Rank	No.						
1	8	Renk	RK302	AS3000/GT	14.2	58	264.1
2	5	Renk	11-511	GENVT3P	16.1	59	238.5
3	15	Renk	RK434	RR2	14.4	57	238.2
4	7	Renk	RK295	GT	14.8	59	232.7
5	13	Renk	RK334	RR2	14.5	57	228.0
6	6	Renk	RK434	GENVT3P	15.1	59	225.5
7	12	Renk	RK224	RR2	14	59	225.3
8	9	Renk	RK292	AS3000/GT	16.2	57	220.6
9	3	Renk	RK501	VT3	15.5	58	217.9
10	2	Renk	RK570	VT3	14	57	215.8
11	11	Renk	RK268	VT3	16	57	215.2
12	1	Renk	RK585	GENVT3P	15.5	55	214.5
13	14	Renk	RK212	GT	14.5	57	209.0
14	4	Renk	RK580	GENSS	19.1	59	202.5
15	16	Renk	RK237		14	58	190.1
16	10	Renk	RK268	GENSS	16.3	54	188.4
Discovery Plot Average							220.4



2011 Rate Plot
Corn Hybrid Performance Summary

Location: Santiago
 Grower: Dekalb Answer Plot
 Planting Date:
 Harvest Date:

Row Width: 30 inches
 Plant Population: 36,000
 Soil Type: Sandy Loam
 Tillage: Conventional

Yield Entry

Rank	No.	Brand	Hybrid	Trait	Moisture	Test Wt	Adj Yield 15%
1	14	Dekalb	52-59	VT3	16.4		209.4
2	1	Dekalb	43-10	GENVT2P	14.9		187.1
3	4	NK_Brand	N33R	AS3000/GT	15.5		173.0
4	6	Dekalb	48-12	GENSS	15		172.9
5	12	Dekalb	51-85	GENSS	17.4		171.3
6	3	Dekalb	42-72	VT3	14.7		171.0
7	2	Dekalb	43-27	VT3	14.3		170.9
8	7	Dekalb	48-12	GENSS	15.6		170.6
9	13	Dekalb	52-59	VT3	18.0		166.6
10	8	Dekalb	48-37	VT3	15.5		162.0
11	10	Dekalb	50-66	VT3	17.2		157.5
12	9	Dekalb	49-94	GENSS	18.3		156.8
13	5	Dekalb	45-51	GENSS	15.4		155.3
14	11	Dekalb	50-77	GENVT3P	18.4		144.9
						Rate Plot Average	169.2



2011
Corn Hybrid Performance Summary
Top Four

Yield	Entry	Rank	No.	Brand	Hybrid	Trait	Moisture	Test Wt	Adj Yield 15%	Loc	Soil	Population	Tillage	PL Date	Type
		3	2	CROPLAN_GENETICS	2520	VT3	17.3	57.0	177.9	Ogilvie	Clay Loam	31,000	Conv	5/15/2011	Discovery
		1	3	CROPLAN_GENETICS	2538	VT3	17.7	55.5	140.2	Hinckley	Sandy Loam	32,000	Minimum	5/15/2011	Discovery
		4	2	CROPLAN_GENETICS	2551	RR2	15.0	57.0	132.0	Hinckley	Sandy Loam	32,000	Minimum	5/15/2011	Discovery
		4	3	CROPLAN_GENETICS	2738	GENSS	17.9	55.5	175.9	Ogilvie	Clay Loam	31,000	Conv	5/15/2011	Discovery
		4	2	CROPLAN_GENETICS	2738	GENSS	15.8	56.0	161.4	Rush City	Loam	31,000	Minimum	5/10/2011	Discovery
		4	1	CROPLAN_GENETICS	2924	VT3	16.1	57.0	181.9	Isanti	Sandy Loam	30,800	Conv	5/22/2011	Discovery
		4	26	CROPLAN_GENETICS	2924	VT3	17.3	58.0	199.9	Osceola	Clay Loam	34,000	No-Till	5/8/2011	Discovery
		1	6	CROPLAN_GENETICS	3390	GENVT3P	15.2	56.0	168.6	Rush City	Loam	31,000	Minimum	5/10/2011	Discovery
		2	6	CROPLAN_GENETICS	3632	AS3000/GT	13.4	56.5	184.3	Princeton	Sandy Loam	28,500	Conv	5/3/2011	Discovery
		4	12	Dekalb	42-72	VT3	12.2	56.0	178.4	Princeton	Sandy Loam	28,500	Conv	5/3/2011	Discovery
		3	19	Dekalb	42-72	VT3	15.9	56.0	199.9	Osceola	Clay Loam	34,000	No-Till	5/8/2011	Discovery
		2	8	Dekalb	43-10	GENVT2P	17.7	54.2	184.0	Ogilvie	Clay Loam	31,000	Conv	5/15/2011	Discovery
		1	20	Dekalb	43-10	GENVT2P	16.1	57.0	212.5	Osceola	Clay Loam	34,000	No-Till	5/8/2011	Discovery
		2	17	Dekalb	43-10	GENVT2P	16.2	53.0	161.6	Rush City	Loam	31,000	Minimum	5/10/2011	Discovery
		2	1	Dekalb	43-10	GENVT2P	14.9		187.1	Santiago	Sandy Loam	36,000	Conv		Rate
		4	6	Dekalb	48-12	GENSS	15		172.9	Santiago	Sandy Loam	36,000	Conv		Rate
		3	19	Dekalb	50-47	VT3	13.8	54.5	181.0	Princeton	Sandy Loam	28,500	Conv	5/3/2011	Discovery
		1	14	Dekalb	52-59	VT3	16.4		209.4	Santiago	Sandy Loam	36,000	Conv		Rate
		2	12	NK_Brand	N29T	AS3000/GT	15.0	55.0	191.2	Isanti	Sandy Loam	30,800	Conv	5/22/2011	Discovery
		3	11	NK_Brand	N29T	AS3000/GT	14.2	51.0	161.5	Rush City	Loam	31,000	Minimum	5/10/2011	Discovery
		1	10	NK_Brand	N33R	AS3000/GT	12.8	56.0	186.9	Princeton	Sandy Loam	28,500	Conv	5/3/2011	Discovery
		3	4	NK_Brand	N33R	AS3000/GT	15.5		173.0	Santiago	Sandy Loam	36,000	Conv		Rate
		2	5	Renk	11-511	GENVT3P	16.1	59	238.5	New Rich	Loam		Conv	5/4/2011	Partner
		4	7	Renk	RK295	GT	14.8	59	232.7	New Rich	Loam		Conv	5/4/2011	Partner
		1	8	Renk	RK302	AS3000/GT	14.2	58	264.1	New Rich	Loam		Conv	5/4/2011	Partner
		2	16	Renk	RK434	GENVT3P	15.4	58.0	201.6	Osceola	Clay Loam	34,000	No-Till	5/8/2011	Discovery
		3	15	Renk	RK434	RR2	14.4	57	238.2	New Rich	Loam		Conv	5/4/2011	Partner
		1	3	Legend	LR9984	AS3000/GT	15.2	56	133.6	Milltown	Loam	33,600	Conv	6/4/2011	Discovery
		2	14	Legend	LR9090	AS3000/GT	17	56	130.8	Milltown	Loam	33,600	Conv	6/4/2011	Discovery
		3	9	Legend	LR9993	VT3	17.1	57	129.9	Milltown	Loam	33,600	Conv	6/4/2011	Discovery



2011 Strip Trial
Corn Hybrid Performance Summary

Location: Saint Michael, Mn
 Grower: Lenneman Dairy
 Planting Date:
 Harvest Date: October 17, 2011

Row Width: 30 inches
 Plant Population:
 Soil Type:
 Tillage:

Yield Entry

Rank	No.	Brand	Hybrid	Trait	Moisture	Test Wt	Adj Yield 15%
	ST	Dekalb	46-61	GENSS	20.1	58	177.40
	ST	Dekalb	44-92	RR2	19.3	58	188.10



2011 Strip Trial Corn Hybrid Performance Summary

Location: Saint Michael, Mn
 Grower: Bernings Green Waves Farm
 Planting Date:
 Harvest Date: October 3,2011

Row Width: 30 inches
 Plant Population:
 Soil Type: Silt Loam
 Tillage: Conventional

Yield Entry

Rank	No.	Brand	Hybrid	Trait	Moisture	Test Wt	Adj Yield 15%
ST		CROPLAN_GENETICS	3624 w/Quadris	GENSS	29.8	53	168.4
ST		CROPLAN_GENETICS	3624 control	GENSS	28.7	54	160.2
ST		CROPLAN_GENETICS	3632	AS3000/GT	28.5	52	150.5
ST		CROPLAN_GENETICS	2924	RR2	31.2	52	160.0
ST		CROPLAN_GENETICS	388	TS	30.9	52	175.2
ST		CROPLAN_GENETICS	3624	GENSS	31.8	52	132.9



2011 Strip Trial
Corn Hybrid Performance Summary

Location: Elk River, MN
 Grower: Merlin Valerius
 Planting Date:
 Harvest Date: October 27, 2011

Row Width: 30 inches
 Plant Population:
 Soil Type: Silt Loam
 Tillage: Conventional

Yield Entry

Rank	No.	Brand	Hybrid	Trait	Moisture	Test Wt	Adj Yield 15%
ST		CROPLAN_GENETICS	3514	VT3	20.5	57.0	144.3
ST		Dekalb	50-66	VT3	19.2	57	164.3
ST		Dekalb	50-66	VT3	19.1	58.0	203.3
ST		Dekalb	50-66	VT3	18	58	168.8



2011 Strip Trial
Corn Hybrid Performance Summary

Location: Elk River, MN
 Grower: Mike & John Kolles
 Planting Date:
 Harvest Date: October 25, 2011

Row Width: 30 inches
 Plant Population:
 Soil Type: Silt Loam
 Tillage: Conventional

Yield Entry	Rank	No.	Brand	Hybrid	Trait	Moisture	Test Wt	Adj Yield 15%
		ST	Dekalb	50-66	VT3	16.1	58.0	180.6
		ST	Dekalb	52-59	VT3	16.2	57	181.0
		ST	Dekalb	50-66	VT3	16.1	58.0	188.2
		ST	Dekalb	52-59	VT3	16.2	58	201.6
		ST	Dekalb	46-61	GENSS	18.2	58.0	202.8



2011 Strip Trial
Corn Hybrid Performance Summary

Location: Monticello, MN
 Grower: Weidenbach Bros.
 Planting Date:
 Harvest Date: October 15, 2011

Row Width: 30 inches
 Plant Population:
 Soil Type: Loam
 Tillage: Conventional

Yield Entry

Rank	No.	Brand	Hybrid	Trait	Moisture	Test Wt	Adj Yield 15%
	ST	Dekalb	44-92	RR2	22.5	55	163.4
	ST	CROPLAN_GENETICS	3724	RR2	21.0	58	187.4
	ST	Dekalb	44-92	RR2	19.4	58	197.9
	ST	CROPLAN_GENETICS	3724	RR2	21.3	56	167.6
	ST	CROPLAN_GENETICS	3724	RR2	20.2	57	193.4



2011 Strip Trial
Corn Hybrid Performance Summary

Location: Buffalo, MN
 Grower: David & Gordon Marquette
 Planting Date:
 Harvest Date: October 12, 2011

Row Width: 30 inches
 Plant Population:
 Soil Type: Loam
 Tillage: Conventional

Yield Entry							
Rank	No.	Brand	Hybrid	Trait	Moisture	Test Wt	Adj Yield 15%
ST		CROPLAN_GENETICS	3724	VT3	19.6	56	154.9
ST		Dekalb	50-66	VT3	19.4	56	175.4
ST		Pioneer	9910		19.3	54	164.7
ST		CROPLAN_GENETICS	3514	VT3	20.7	56	160.9